

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-8930: Recombinant Mouse C-C motif Chemokine 8/CCL8/MCP-2 (C-6His)

Gene ID : 20307 **Uniprot ID :** Q9Z121

Description

Source: Human Cells.

MW:9.8kD.

Recombinant Mouse C-C motif Chemokine 8 is produced by our expression system and the target gene encoding Glu20-Pro97 is expressed Chemokine ligand 8 (CCL8,MCP-2), is a small secreted cytokine which belongs to the intercrine beta (chemokine CC) family. CCL8 Chemotactic factor attracts monocytes. It can bind heparin.CCL8 functions to activate different immune cells, including mast cells, eosinophils and basophils which are involved in allergic responses, monocytes, and T cells and NK cells which are involved in the inflammatory response. Its ability achieves by binding to different cell surface receptors termed chemokine receptors including CCR1, CCR2B and CCR5. It has been reported that CCL8 is a potent inhibitor of HIV-1 by virtue of its binding to CCR5 which is one of the major co-receptors for HIV-1.

Product Info

Amount : $10 \mu g / 50 \mu g$

Content: Lyophilized from a 0.2 μm filtered solution of 20mM PB,150mM NaCl,pH7.4.

Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks.

Storage condition: Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted

samples are stable at -20°C for 3 months.

Amino Acid: EKLTGPDKAPVTCCFHVLKLKIPLRVLKSYERINNIQCPMEAVVFQTKQGMSLCVDPTQKWVSEYMEILDQKSQI

LQPHHHHHH

Application Note

Endotoxin: Less than 0.1 ng/ $\tilde{A} \square \hat{A} \mu g$ (1 IEU/ $\tilde{A} \square \hat{A} \mu g$) as determined by LAL test.