9853 Pacific Heights Blvd.
Suite D. San Diego,
CA 92121, USA
Tel: 858-263-4982
Email: info@abeomics.com

32-12331: Human Thymic Stromal Lymphopoietin

Gene :	TSLP
Gene ID :	85480
Uniprot ID :	Q969D9
Alternative Name :	Thymic stromal lymphopoietinÂ Â Â

Description

Source: Genetically modified E.coli.
Predicted MW:Â Monomer, 15.1 kDa (132 aa)
Thymic stromal lymphopoietin (TSLP) is a hematopoietic cytokine produced in several tissues including the heart, liver and prostate. TSLP induces the release of T-cell attracting chemokines from monocytes, and regulates the maturation of myeloid and epidermal dendritic cells. TSLP signals through a heterodimeric receptor complex containing the TSLP receptor (TSLP-R/CRLF2) and IL-7R alpha chain.

Product Info

Amount :	10 µg / 100 µg
Purification :	Reducing and Non-Reducing SDS PAGE at >= 95%
Content :	Lyophilized from a sterile (0.2 micron) filtered aqueous solution containing 10 mM sodium phosphate, pH 7.5 Sterile water at 0.1 mg/mL
Storage condition :	Store at -20°C
Amino Acid :	MYDFTNCDFE KIKAAYLSTI SKDLITYMSG TKSTEFNNTV SCSNRPHCLT EIQSLTFNPT AGCASLAKEM FAMKTKAALA IWCPGYSETQ INATQAMKKR RKRKVTTNKC LEQVSQLQGL WRRFNRPLL KQQ

Application Note

Endotoxin: Less than 0.1 ng/ÃÂµg (1 IEU/ÃÂµg) as determined by LAL test.
Centrifuge vial before opening, Suspend the product by gently pipetting the above recommended solution down the sides of the vial. DO NOT VORTEX. Allow several minutes for complete reconstitution. For prolonged storage, dilute to working aliquots in a 0.1% BSA solution, store at -80ÃÂ°C and avoid repeat freeze thaws. Upon reconstitution, a small amount of visible precipitate can be expected. A 10% overfill has been added to the total material vialed to compensate for this loss. ÃÂ ÃÂ



Human TSLP Gel
Figure: 1 ug run under (-) non-reducing conditions and (+) reducing conditions in a 4-20% Tris-Glycine gel, stained with Coomassie Blue. Human TSLP is predicted to have a MW of 15.1 kDa.

For Research Use Only. Not for use in diagnostic/therapeutics procedures.