

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

45-1042: Rabbit Polyclonal Antibody to GFP

Clonality: Polyclonal
Application: ELISA, WB
Format: Purified
Isotype: Rabbit IgG

Immunogen Information: Purified recombinant full-length GFP protein

Description

Green fluorescence protein (GFP) is a 27 kDa protein derived from jellyfish Aequorea victoria. It emits green light (emission peak at a wavelength of 509 nm) when excited by blue light (excitation peak at a wavelength of 395 nm). GFP has become a very useful tool as a fusion protein to report gene expression, trace cell lineage and define subcellular protein localizations. YFP differs from GFP due to a mutation at T203Y. The antibodies raised against full-length GFP should also detect YFP and other variants. Rabbit Anti-GFP Polyclonal Antibody is developed in rabbit using purified recombinant full-length GFP protein. This polyclonal antibody is highly purified from rabbit antiserum by immunoaffinity chromatography.

Product Info

Amount: 40 µg

Purification: Immunoaffinity chromatography

Content: 0.5 mg/ml, lyophilized with PBS, pH 7.4, containing 0.02% sodium azide

The antibody is stable in lyophilized form if stored at -20°C or below. The reconstituted antibody

Storage condition: can be stored for 2-3 weeks at 2-8°C. For long term storage, aliquot and store at -20°C or

below. Avoid repeated freezing and thawing cycles.

Application Note

ELISA: 0.05-0.2 ÃΠÂμg/ml. Western blot: 1-2 ÃΠÂμg/ml




Figure-1 : Western blot analysis of GFP Antibody at 1 μ g/ml on GFP fusion protein (200, 100, 50 & 10 ng), IRDye 800 Conjugated Goat Anti-Rabbit IgG was used as secondary antibody.



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Figure-2 : Western blot analysis of GFP Antibody at 1 μ g/ml on GFP uv fusion protein (100, 40, 20 & 10 ng), IRDye 800 Conjugated Goat Anti-Rabbit IgG was used as secondary antibody.




Figure-3 : Western blot analysis of GFP Antibody at 1 μ g/ml on YFP fusion protein, IRDye 800 Conjugated Goat Anti-Rabbit IgG was used as secondary antibody.




Figure-4: Western blot analysis of GFP Antibody on immunoprecipitates from lysate expressing GFP, 1: Input control material for lysate expressing GFP protein, 2: Negative control with isotype control, 3: Immunprecipitation with GFP Antibody.