

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 10-4062: Monoclonal antibody to MAVS (Clone: ABM2A90)

Clonality: Monoclonal **Clone Name:** ABM2A90 FACS.WB Application: Reactivity: Human Gene: **MAVS** Gene ID: 57506 **Uniprot ID:** Q7Z434 Format: Purified

CARD adapter inducing interferon beta, Interferon beta promoter stimulator protein 1,

Alternative Name: Putative NF-kappa-B-activating protein 031N, Virus-induced-signaling adapter, IPS1,

KIAA1271, VISA

**Isotype:** Mouse IgG2b, Kappa

Immunogen Information: A partial length recombinant protein (Amino acids 72-296) of human MAVS was used as

immunogen for this antibody.

## **Product Info**

**Amount :**  $25 \mu g / 100 \mu g$ 

**Purification:** Protein G Chromatography

**Content:** 25 μg in 50 μl/100 μg in 200 μl PBS containing 0.05% BSA and 0.05% sodium azide. Sodium

azide is highly toxic.

**Storage condition :** Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid

repeated freeze and thaw cycles.

## **Application Note**

Recommended dilutions: WB:  $0.5-1 \mu g/ml$ , Flow cytometric analysis:  $0.5-1 \mu g/10^6$  cells. However, this need to be optimized based on the research applications.




Figure-1: Western blot analysis of MAVS. Anti-MAVS antibody (Clone: ABM2A90) was used at 0.5  $\mu$ g/ml on MCF-7 lysate.



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Figure-2: Intracellular flowcytometric analysis of MAVS in A431 cell line at 0.5  $\mu$ g/10^6 cells using Anti-MAVS antibody (ABM2A90). Green represent isotype control and red represent Anti-MAVS antibody (10-4062 Abeomics). Goat Anti-mouse PE conjugated was used as secondary antibody.




Figure-3: Intracellular flowcytometric analysis of MAVS in THP-1 cell line at 0.5  $\mu g/10^6$  cells using Anti-MAVS antibody (ABM2A90). Green represent isotype control and red represent Anti-MAVS antibody (10-4062 Abeomics). Goat Anti-mouse PE conjugated was used as secondary antibody.




Figure-4: Intracellular flowcytometric analysis of MAVS in MCF-7 cell line at 0.5  $\mu$ g/10^6 cells using Anti-MAVS antibody (ABM2A90). Green represent isotype control and red represent Anti-MAVS antibody (10-4062 Abeomics). Goat Anti-mouse PE conjugated was used as secondary antibody.