9853 Pacific Heights Blvd.
Suite D. San Diego,
CA 92121, USA
Tel: 858-263-4982
Email: info@abeomics.com

12-1164: Anti-Cytokeratin, Basic (Type II or HMW) Recombinant Mouse Monoclonal Antibody (Clone:rKRTH/2148) (discontinued)

Clonality :	Monoclonal
Clone Name :	rKRTH/2148
Application :	IHC
Reactivity :	Human
Gene :	KRT76
Gene ID :	51350
Uniprot ID :	Q01546
Format :	Purified
Alternative Name :	KRT2B; KRT2P; HUMCYT2A; Keratin, type II Cytoskeletal 2 oral; K76; Keratin 2p (K2P); Keratin-76; Cytokeratin-2P (CK-2P; Type-II Keratin Kb9
Isotype :	Mouse IgG1, kappa
Immunogen Information :	Recombinant full-length of human KRT76 protein

Description

This antibody recognizes CK1, CK5, CK10 and CK14. In normal epithelia, it stains stratified epithelia, myoepithelial cells and basal cells in the prostate gland and bronchi. This MAb shows no reactivity with hepatocytes, pancreatic acinar cells, proximal renal tubules, or endometrial glands; there is no reactivity with cells derived from simple epithelia. Mesenchymal tumors, lymphomas, melanomas, neural tumors, and neuroendocrine tumors are negative with this antibody. It stains myoepithelial cells and has been shown to be useful in distinguishing prostate adenocarcinoma from benign prostate. This antibody has also been useful in separating benign from malignant intraductal breast proliferations.

Product Info

Amount :	20 µg / 100 µg
Purification :	Protein A/G
Content :	200µg/ml of recombinant MAb purified by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Storage condition :	Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous.

Application Note

Immunohistochemistry (Formalin-fixed) (1-2Âµg/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95Â°C followed by cooling at RT for 20 minutes).

For Research Use Only. Not for use in diagnostic/therapeutics procedures.

9853 Pacific Heights Blvd.
Suite D. San Diego,
CA 92121, USA
Tel: 858-263-4982
Email: info@abeomics.com




Figure 1: Formalin-fixed, paraffin-embedded human Prostate Carcinoma stained with CK HMW Mouse Recombinant Monoclonal Antibody (rKRTH/2148).




Figure 2: SDS-PAGE Analysis of Purified CK HMW Mouse Recombinant Monoclonal Antibody (rKRTH/2148).

For Research Use Only. Not for use in diagnostic/therapeutics procedures.