

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

30-1767: Anti-CD158d / KIR2DL4 Monoclonal Antibody (Clone:mAb#33)-APC Conjugated

Clonality: Monoclonal **Clone Name:** mAb#33 Application: **FACS** Reactivity: Human Conjugate: APC Gene: KIR2DL4 Gene ID: 3805 **Uniprot ID:** 099706

Alternative Name: KIR2DL4,CD158D,KIR103AS

Isotype: Mouse IgG1

Immunogen Information: NK3.3 cells and KIR2DL4-Ig fusion protein

Description

CD158d / KIR2DL4 is a KIR family member that shares structural features with both activating and inhibitory receptors and may mediate different functions under different circumstances. It contains cytoplasmic ITIM, suggesting inhibitory function, but also transmembrane domain similar to those of activating KIRs. It has been reported that CD158d serves as an inhibitory receptor for peripheral and uterine NK cells, but its ligation with soluble mAbs (unlike immobilized mAbs) results in activation of IFN-gamma secretion. CD158d also binds both membrane form and soluble form of its ligand HLA-G.

Product Info

Amount: 100 tests

Storage condition : Store in the dark at 2-8°C. Do not freeze. Avoid prolonged exposure to light.




Figure 1: Surface staining of CD158d in human peripheral blood using anti-CD158d (mAb#33) APC.




Figure 2: Separation of cells stained using anti-human CD158d (mAb#33) APC antibody from cells stained using mouse IgG1 isotype control (MOPC-21) APC antibody in flow cytometry analysis (surface staining) of NKL cell suspension