

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 30-1905: Anti-CD16 / FcgammaRIII Monoclonal Antibody (Clone:3G8)-Biotin Conjugated

Clonality: Monoclonal

Clone Name: 3G8
Application: FACS
Reactivity: Human
Conjugate: Biotin
Gene: FCGR3A
Gene ID: 2214
Uniprot ID: P08637

**Alternative Name :** FCGR3A,CD16A,FCG3,FCGR3,IGFR3

**Isotype:** Mouse IgG1

Immunogen Information: Human neutrophils


## **Description**

CD16 (FcgammaRIII) is a 50-65 kDa glycoprotein serving as a low affinity IgG receptor. Human FcgammaRIII is expressed in two forms - FcgammaRIII-A and -B. FcgammaRIII-A is a transmembrane protein of monocytes, macrophages, NK cells and a subset of T cells. It is associated with FcepsilonRI-gamma subunit and is responsible for antibody-dependent NK cell cytotoxicity. Mast cell FcgammaRIII-A is associated, moreover, with FcepsilonRI-beta subunit. Besides IgG, FcgammaRIII-A can be triggered also by oligomeric IgE. FcgammaRIII-B is a GPI-linked monomeric receptor expressed on neutrophils and is involved in their activation and induction of a proadhesive phenotype.

## **Product Info**

Amount: 0.1 mg

**Storage condition :** Store at 2-8°C. Do not freeze.



Flow cytometry analysis (surface staining) of CD16 in human peripheral blood with anti-CD16 (3G8) biotin.