

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 30-1906: Anti-CD19 Monoclonal Antibody (Clone:4G7 )-Biotin Conjugated

Clonality: Monoclonal

Clone Name: 4G7
Application: FACS
Reactivity: Human
Conjugate: Biotin
Gene: CD19
Gene ID: 930
Uniprot ID: P15391

Alternative Name: CD19, B4, Leu-12, CVID3

**Isotype:** Mouse IgG1

Immunogen Information: Human CCL (chronic lymphocytic leukemia) cells

## **Description**

Specificity: The mouse monoclonal antibody 4G7 recognizes an extracellular epitope of human CD19.<Br>

CD19 is a transmembrane glycoprotein of Ig superfamily expressed by B cells from the time of heavy chain rearrangement until plasma cell differentiation. It forms a tetrameric complex with CD21 (complement receptor type 2), CD81 (TAPA-1) and Leu13. Together with BCR (B cell antigen receptor), this complex signals to decrease B cell treshold for activation by the antigen. Besides being signal-amplifying coreceptor for BCR, CD19 can also signal independently of BCR coligation and it turns out to be a central regulatory component upon which multiple signaling pathways converge. Mutation of the CD19 gene results in hypogammaglobulinemia, whereas CD19 overexpression causes B cell hyperactivity.

## **Product Info**

Amount: 0.1 mg

**Purification :** Purified antibody is conjugated with biotin LC-NHS ester under optimum conditions and

unconjugated antibody and free biotin are removed by size-exclusion chromatography.

**Content:** Formulation: Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide

**Storage condition :** Store at 2-8°C. Do not freeze.

## **Application Note**

Flow cytrometry: Recommended dilution: 1 µg/ml.




Figure 1: Flow cytometry analysis (surface staining) of human peripheral blood leukocytes with anti-human CD19 (4G7) biotin / streptavidin-PE.