

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

30-1488: Anti-CD3 zeta (Phospho-Tyr153) Monoclonal Antibody (Clone:EM-17)

Clonality: Monoclonal
Clone Name: EM-17
Application: FACS, WB
Reactivity: Human, Mouse

 Gene :
 CD247

 Gene ID :
 919

 Uniprot ID :
 P20963

 Format :
 Purified

Alternative Name: CD247,CD3Z,T3Z,TCRZ

Isotype: Mouse IgG1

Immunogen Information: A phospho specific peptide corresponding to the amino acids surrounding tyrosine 153 of

mouse CD3 zeta linked to KLH

Description

CD3 complex is crucial in transducing antigen-recognition signals into the cytoplasm of T cells and in regulating the cell surface expression of the TCR complex. T cell activation through the antigen receptor (TCR) involves the cytoplasmic tails of the CD3 subunits CD3 gamma, CD3 delta, CD3 epsilon and CD3 zeta (CD247). These CD3 subunits are structurally related members of the immunoglobulins super family encoded by closely linked genes on human chromosome 11. The CD3 components have long cytoplasmic tails that associate with cytoplasmic signal transduction molecules. This association is mediated at least in part by a double tyrosine-based motif present in a single copy in the CD3 subunits. CD3 may play a role in TCR-induced growth arrest, cell survival and proliferation.

Product Info

Amount: 0.1 mg

Purification : Purified by protein-A affinity chromatography

Storage condition : Store at 2-8°C. Do not freeze.

Application Note

Western Blotting Recommended dilution: 2 - 5 ̸µg/ml

Positive control: Jurkat cells lysate treated with pervanadate; Splenocyte lysate of Balb/c or F1 mouse treated with pervanadate




Figure 1: Reactivity of the monoclonal antibodies EM-26 (anti-CD3 zeta phospho-Tyr72) and EM-17 (anti-CD3 zeta phospho-Tyr153) with phosphorylated particular human CD3 zeta mutants. The Y1F and Y6F mutatants lack phosphotyrosine 72 and 153, respectively.