

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

30-1085: Anti-CD49d / Integrin alpha 4 Monoclonal Antibody (Clone:9F10)

Clonality: Monoclonal

Clone Name: 9F10

Application: FACS, IHC-Fr, Functional Assay

Reactivity: Human, Non-Human Primates, Bovine, Dog, Equine, Feline, Sheep

Gene: ITGA4
Gene ID: 3676
Uniprot ID: P13612
Format: Purified
Alternative Name: ITGA4,CD49D
Isotype: Mouse IgG1

Description

CD49d / integrin alpha 4, unlike other alpha integrins, neither contains an I-domain, nor undergoes disulfide-linked cleavage. It associates with beta 7 chain to form alpha 4 / beta 7 integrin, and with beta 1 chain (CD29) to form VLA-4 integrin. These complexes are important for lymphocyte migration from circulation into tissue (binding VCAM-1) and homing of T cell subsets to Peyer´s patches (binding MadCAM-1), but VLA-4 is also target for invasive bacteria which contain invasin. CD49d is essential for differentiation and migration of hematopoietic stem cells by their adhesion to bone marrow stromal cells, and provides a costimulatory signal to TCR-CD3 complex by inducing phosphorylation of some focal adhesion proteins.

Product Info

Amount: 0.1 mg

Purification : Purified by protein-A affinity chromatography

Storage condition : Store at 2-8°C. Do not freeze.

Application Note

Flow Cytometry Immunohistochemistry (frozen sections) Functional Application in vitro T cell costimulation