

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 30-1854: Anti-CD71 / Transferrin Receptor Monoclonal Antibody (Clone:MEM-75)-Biotin Conjugated

Clonality: Monoclonal **Clone Name:** MEM-75 Application: **FACS** Reactivity: Human Conjugate: Biotin Gene: **TFRC** Gene ID: 7037 **Uniprot ID:** P02786 **Alternative Name: TFRC** 

**Isotype:** Mouse IgG1 kappa

Immunogen Information: NALM-6 human pre-B cell line

## **Description**

CD71 (transferrin receptor) is a type II transmembrane glycoprotein expressed as homodimer in erythroid blood cell line and in activated leukocytes. Upon binding of holotransferrin (complex of transferrin and iron ions), CD71 is internalized by clathrin-mediated endocytosis. Acidification of endosomes by vesicular membrane proton pumps leads to dissociation of iron ions, whereas transferrin (apotransferrin) remains associated with CD71 and recycles to the cell surface, where it is released upon exposure to normal pH. CD71 is also involved in uptake of non-transferrin bound iron.

## **Product Info**

Amount: 0.1 mg

**Storage condition :** Store at 2-8°C. Do not freeze.




Figure 1: Surface staining of NALM-6 human peripheral blood pre-B cell leukemia cell line with anti-CD71 (MEM-75) biotin; detection by Streptavidin-PE. Total viable cells were used for analysis.