

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

30-1798: Anti-CD79b Monoclonal Antibody (Clone:CB3-1)-APC Conjugated

Clonality: Monoclonal
Clone Name: CB3-1
Application: FACS, IP, WB
Reactivity: Human
Conjugate: APC
Gene: CD79B
Gene ID: 974

Uniprot ID: P40259
Alternative Name: CD79B,B29,IGB
Isotype: Mouse IgG1

Immunogen Information: Fraction of Ig-associated molecules isolated from Ramos B cells

Description

CD79b (Ig beta, B29) forms disulfide-linked heterodimer with CD79a (Ig alpha, MB1). They both are transmembrane proteins with extended cytoplasmic domains containing immunoreceptor tyrosine activation motives (ITAMs), and together with cell surface immunoglobulin they constitute B-cell antigen-specific receptor (BCR). CD79a and b are the first components of BCR that are expressed developmentally. They appear on pro-B cells in association with the endoplasmic reticulum chaperone calnexin. Subsequently, in pre-B cells, CD79 heterodimer is associated with lambda5-VpreB surrogate immunoglobulin and later with antigen-specific surface immunoglobulins. CD79a/b complex interacts with Src-family tyrosine kinase Lyn, which phosphorylates its cytoplasmic ITAM motives to form docking sites for downstream signaling.

Product Info

Amount: 100 tests

Storage condition: Store in the dark at 2-8°C. Do not freeze. Avoid prolonged exposure to light.




Figure 1: Surface staining of CD79b in human peripheral blood with anti-CD79b (CB3-1) APC.