

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 30-1254: Anti-Csk Monoclonal Antibody (Clone:CSK-04)

Clonality: Monoclonal
Clone Name: CSK-04
Application: WB, IP, ICC
Reactivity: Human, Mouse

 Gene :
 CSK

 Gene ID :
 1445

 Uniprot ID :
 P41240

 Format :
 Purified

 Alternative Name :
 CSK

**Isotype**: Mouse IgG1

Immunogen Information: Bacterially expressed recombinant fragment of human Csk corresponding to aa 330-450.

## **Description**

C-terminal Src kinase (Csk) is a non-receptor protein tyrosine kinase which resembles Src-family kinases, but unlike them lacks the conserved autophosphorylation site, the regulatory C-terminal tyrosine as well as myristylation and palmitylation. Csk negatively regulates Src-family kinases by phosphorylation of their C-terminal regulatory tyrosine. Disruption of the csk gene causes constitutive activation of Src-family kinases, and overexpression of Csk usually counteracts their signaling. The Csk-mediated regulation of those Src-family kinases that are localized in lipid rafts is enabled by a ubiquitously expressed transmembrane adaptor PAG (also known as Cbp, Csk-binding protein), which recruits Csk.

## **Product Info**

Amount: 0.1 ml

**Purification :** Purified by protein-A affinity chromatography

**Storage condition :** Store at 2-8°C. Do not freeze.




Figure 1: Immunofluorescence staining of Csk in human HeLa cell line using anti-Csk (CSK-04; green). Actin cytoskeleton was decorated by phalloidin (red) and cell nuclei stained with DAPI (blue).