

36-1567: Monoclonal Antibody to Podocalyxin (PODXL) (Hematopoietic Stem Cell Marker)(Clone : 4F10)

Clonality :	Monoclonal
Clone Name :	4F10
Application :	FACS,IF,IHC
Reactivity :	Human, Rat
Gene :	PODXL
Gene ID :	5420
Uniprot ID :	O00592
Format :	Purified
Alternative Name :	PODXL,PCLP,PCLP1
Isotype :	Mouse IgM, kappa
Immunogen Information :	A recombinant protein fragment containing the intracellular, transmembrane, and part of the extracellular domain of human podocalyxin

Description


Podocalyxin is a member of the CD34 transmembrane sialomucin family. It is over-expressed on the podocyte foot projections and plays essential roles in kidney development and homeostasis, blood filtration and urine formation. It is also expressed on vascular endothelia, hematopoietic progenitors and a subset of neurons. Overexpression of podocalyxin may be linked to more aggressive tumor behavior. Podocalyxin antibody can identify podocytes in the urine (podocyturia) that may indicate glomerular disease, pre-eclampsia, and other kidney pathology.

Product Info

Amount :	100 µg
Purification :	Affinity Chromatography
Content :	100 µg in 500 µl PBS containing 0.05% BSA and 0.05% sodium azide. Sodium azide is highly toxic.
Storage condition :	Store the antibody at 4°C; stable for 6 months. For long-term storage; store at -20°C. Avoid repeated freeze and thaw cycles.

Application Note

Flow Cytometry (1-2ug/million cells); Immunofluorescence (1-2ug/ml); Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 min at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes);



Formalin-fixed, paraffin-embedded human Angiosarcoma stained with Podocalyxin Monoclonal Antibody (4F10).