w abeomics

32-20215: Recombinant Human IL-3(Discontinued)

Reactivity : Human, Monkey, Mouse

Alternative Name : MCGF (Mast cell growth factor), Multi-CSF, HCGF, P-cell stimulation factor

Description

Source:E.coliDescription: IL-3 is a hematopoietic growth factor that promotes the survival, differentiation and proliferation of committed progenitor cells of the megakaryocyte, granulocyte-macrophage, erythroid, eosinophil, basophil and mast cell lineages. Produced by T cells, mast cells and eosinophils, IL-3 enhances thrombopoiesis, phagocytosis, and antibody-mediated cellular cytotoxicity. Its ability to activate monocytes s µggests that IL-3 may have additional immunoregulatory roles. Many of the IL-3 activities depend upon co-stimulation with other cytokines. IL-3 is a species-specific, variably glycosylated cytokine. Recombinant Human IL-3 is a 15.0 kDa globular protein containing 133 amino acid residues.

Product Info

 Amount :
 2 μg / 10 μg

 Purification :
 Purity: >= 98% by SDS-PAGE gel and HPLC analyses.

 Content :
 This recombinant protein is supplied in lyophilized form.

 Amino Acid :
 APMTQTTSLK TSWVNCSNMI DEIITHLKQP PLPLLDFNNL NGEDQDILME NNLRRPNLEA FNRAVKSLQN ASAIESILKN LLPCLPLATA APTRHPIHIK DGDWNEFRRK LTFYLKTLEN AQAQQTTLSL AIF

Application Note

The \tilde{A} [] \hat{A} ED₅₀ \tilde{A} [] \hat{A} as determined by the dose-dependent stimulation of the proliferation of human TF-1 cells is <= 0.1 ng/ml, corresponding to a specific activity of >= 1 x 10⁷ units/mg.