9853 Pacific Heights Blvd.
Suite D. San Diego,
CA 92121, USA
Tel: 858-263-4982
Email: info@abeomics.com

32-20497: Recombinant Murine M-CSF(Discontinued)

Reactivity : Human, Monkey, Mouse, Rat
Alternative Name : Macrophage Colony Stimulating Factor, CSF-1, MGI-IM

Description

Source:E.coliM-CSF is a potent hematopoietic factor produced by a variety of cells, including lymphocytes, monocytes, fibroblasts, endothelial cells, myoblasts and osteoblasts. It is a key regulator of cellular proliferation, differentiation, and survival for blood monocytes, tissue macrophages, and their respective progenitor cells. M-CSF has been shown to play important roles in modulating dermal thickness and fertility. M-CSF is clinically used in the treatment of infection, malignancies and atherosclerosis. It facilitates hematopoietic recovery after bone marrow transplantation. Human M-CSF is reactive in murine systems, but the murine molecule exhibits no activity on human cells.Â Recombinant Murine M-CSF is a 36.4 kDa homodimeric protein consisting of two 156 amino acid polypeptide subunits.

Product Info

Amount : 2 µg / 10 µg
Purification : Purity:>= 98% by SDS-PAGE gel and HPLC analyses.
Content : This recombinant protein is supplied in lyophilized form.
Amino Acid : MKEVSEHCSH MIGNGHLKVL QQLIDSQMET SCQIAFEFVD QEQLDDPVCY LKKAFFLVQD IIDETMRFKD NTPNANATER LQELSNNLNS CFTKDYEEQN KACVRTFHET PLQLLEKIKN FFNETKNLLE KDWNIFTKNC NNSFAKCSSR DVVTKP

Application Note

TheÃ□Â ED_{50}Ã□Â as determined by the dose-dependent stimulation of the proliferation of M-NFS-60 cells isÃ□Â <= 1.0 ng/ml, corresponding to a specific activity ofÃ□Â >= 1 x 10^6Ã□Â units/mg.Ã□Â

For Research Use Only. Not for use in diagnostic/therapeutics procedures.