

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

44-1130: Anti-CD15/Leu-M1 Monoclonal Antibody (Clone:IHC527)-Ready to Use

Clonality: Monoclonal **Clone Name:** IHC527 **Application:** IHC Reactivity: Human Gene: FUT4 Gene ID: 2526 **Uniprot ID:** P22083 Format: Predilute

Alternative Name: FUT4, ELFT, FCT3A, Alpha-(1,3)-fucosyltransferase 4, ELAM-1 ligand fucosyltransferase,

Fucosyltransferase 4, Fucosyltransferase I, Fuc-TIV, FucT-IV, Galactoside 3-L-fucosyltransferase

Description

Cluster of differentiation 15 (CD15) is a carbohydrate adhesion molecule. Positive staining for CD15 and negative staining for leukocyte common antigen or other B- or T-cell lineage markers helps recognize Reed Sternberg cells (RSC) in Classical HodgkinÂ's Lymphoma (CHL), and distinguishes it from Hodgkin-like neoplasms. CD15 does not stain mesotheliomas and is therefore most useful for distinguishing epithelial mesothelioma from adenocarcinoma.

Product Info

Amount: 7 ml

Purification: Protein A/G Chromatography

Storage condition : Store at 2°C - 8°C.

Application Note

This product is available in ready to use format, hence no dilution is required.




Figure 1: Immunohistochemical analysis of CD15/Leu-M1 (IHC527) on Cervical Cancer