

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

37-1159: Mouse PD-L1 / B7-H1 / CD274 Recombinant Protein (ECD, Fc Tag)(Discontinued)

Reactivity: Mouse

Alternative Name: A530045L16Rik Protein, Mouse; B7h1 Protein, Mouse; Pdcd1l1 Protein, Mouse; Pdcd1lg1 Protein,

Mouse; Pdl1 Protein, Mouse

Description

Source: HEK293 Cells

Programmed death-1 ligand-1 (PD-L1, CD274, B7-H1) has been identified as the ligand for the immunoinhibitory receptor programmed death-1(PD1/PDCD1) and has been demonstrated to play a role in the regulation of immune responses and peripheral tolerance. PD-L1/B7-H1 is a member of the growing B7 family of immune molecules and this protein contains one V-like and one C-like Ig domain within the extracellular domain, and together with PD-L2, are two ligands for PD1 which belongs to the CD28/CTLA4 family expressed on activated lymphoid cells. By binding to PD1 on activated T-cells and B-cells, PD-L1 may inhibit ongoing T-cell responses by inducing apoptosis and arresting cell-cycle progression. Accordingly, it leads to growth of immunogenic tumor growth by increasing apoptosis of antigen specific T cells and may contribute to immune evasion by cancers. PD-L1 thus is regarded as promising therapeutic target for human autoimmune disease and malignant cancers. Cancer Immunotherapy Co-inhibitory Immune Checkpoint Targets Immune Checkpoint Immune Checkpoint Blockade: Blocking Antibodi Immune Checkpoint Blockade: PD-L1 / B7-H1 / C Immune Checkpoint Detection: Antibodies Immune Checkpoint Detection: IHC Antibodies Immune Checkpoint Detection: WB Antibodies Immune Checkpoint Proteins Immune Checkpoint Targets Immunotherapy PD-L1 / B7-H1 / CD274 Immune Checkpoint Prote Targeted Therapy

Product Info

Amount: H1 / CD274 Recombinant Protein (ECD, Fc Tag)(Discontinued) / 200 µg

Purification: > 95 % as determined by SDS-PAGE

Formulation Lyophilized from sterile PBS, pH 7.4.

Content: Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before

lyophilization.

Storage condition : Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be

aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Amino Acid: Met1-His239

Application Note

1.Measured by its binding ability in a functional ELISA. 2.Immobilized human PD1-His at $10\tilde{A} \parallel \hat{A} \mu g/mL$ ($100\tilde{A} \parallel \hat{A} \mu L/well$) can bind mouse CD274-Fc, the EC50 of mouse CD274-Fc is 0.1- $0.6\tilde{A} \parallel \hat{A} \mu g/mL$. Endotoxin :< 1.0 EU per $\tilde{A} \parallel \hat{A} \mu g$ protein as determined by the LAL method.




Fig 1: Mouse PD-L1 / B7-H1 / CD274 Recombinant Protein (ECD, Fc Tag)