# **∗** abeomics

## 37-1208: Human Ephrin-A5 / EFNA5 Recombinant Protein (Fc Tag)(Discontinued)

#### Reactivity : Human

Alternative Name : AF1 Protein, EFL5 Protein, EPLG7 Protein, GLC1M Protein, LERK7 Protein, RAGS Protein,

## Description

#### Source : HEK293 Cells

Ephrin-A5 also known as EFNA5, is a member of the Ephrin family. The Eph family receptor interacting proteins (ephrins) are a family of proteins that serve as the ligands of the Eph receptor, which compose the largest known subfamily of receptor protein-tyrosine kinases (RTKs). Ephrin subclasses are further distinguished by their mode of attachment to the plasma membrane: ephrin-A ligands bind EphA receptors and are anchored to the plasma membrane via a glycosylphosphatidylinositol (GPI) linkage, whereas ephrin-B ligands bind EphB receptors and are anchored via a transmembrane domain. Ephrin-A5/EFNA5 may function actively to stimulate axon fasciculation. The interaction of EFNA5 with EPHA5 also mediates communication between pancreatic islet cells to regulate glucose-stimulated insulin secretion. Ephrin-A5/EFNA5 also serves as a cognate/functional ligand for EPHA7, their interaction regulates brain development modulating cell-cell adhesion and repulsion.

#### **Product Info**

Amount : Purification :	A5 / EFNA5 Recombinant Protein (Fc Tag)(Discontinued) / 200 μg > 95 % as determined by SDS-PAGE
Content :	Formulation Lyophilized from sterile PBS, pH 7.4 Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization.
Storage condition :	Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
Amino Acid :	Met1-Asn203

### **Application Note**

Endotoxin :< 1.0 EU per  $\tilde{A}$   $\hat{A}\mu g$  of the protein as determined by the LAL method



Fig 1: Human Ephrin-A5 / EFNA5 Recombinant Protein (Fc Tag)