

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 36-2023: Anti-p21WAF1 (Tumor Suppressor Protein) Monoclonal Antibody (Clone: AC8)

Clonality: Monoclonal

Clone Name: AC8

ELISA.WB.IP.IF Application:

Reactivity: Human Gene: CDKN1A Gene ID: 1026 **Uniprot ID:** P38936

Activating Fragment 1, CAP20, CDK-interacting protein 1, CDKI, CDKN1, CDKN1A, CIP1, Cyclin-

dependent kinase inhibitor 1A (p21, Cip1), DNA Synthesis Inhibitor, MDA6, Melanoma **Alternative Name:** Differentiation Associated Protein 6, p21Cip1/Waf1, PlC1, SDI1, SLC12A9, Wild type p53

activated fragment 1 (WAF1)

Isotype: Mouse IgG1, kappa

Immunogen Information: Recombinant full-length human CDKN1A protein

## **Description**

This MAb recognizes a 21kDa protein, identified as the p21WAF1 tumor suppressor protein. This MAb is highly specific to p21 and shows no cross-reaction with other closely related mitotic inhibitors. p21WAF1 is a specific inhibitor of cdk's and a tumor suppressor involved in the pathogenesis of a variety of malignancies. The expression of this gene acts as an inhibitor of the cell cycle during G1 phase and is tightly controlled by the tumor suppressor protein p53. Its expression is induced by the wild type, but not mutant, p53 suppressor protein. Normal cells generally display a rather intense nuclear p21 expression. Loss of p21 expression has been reported in many carcinomas (gastric carcinoma, non-small cell lung carcinoma, thyroid carcinoma).

## **Product Info**

Amount: 20 μg / 100 μg

200µg/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with Content:

0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.

Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody Storage condition:

is stable for 24 months.

## **Application Note**

ELISA (For coating use Ab at 1-5ug/ml, order Ab without BSA); Western Blot (1-2ug/ml); Immunoprecipitation (1-2ug/500ug protein); Immunofluorescence (1-2ug/ml)




Fig.1: SDS-PAGE Analysis Purified p21 Mouse Monoclonal Antibody (AC8). Confirmation of Integrity and Purity of Antibody.