

36-2034: Anti-CDX2 / Caudal Type Homeobox 2 (GI Epithelial Marker) Monoclonal Antibody (Clone: rCDX2/1690)

Clonality :	Monoclonal
Clone Name :	rCDX2/1690
Application :	ELISA,IHC
Reactivity :	Human
Gene :	CDX2
Gene ID :	1045
Uniprot ID :	Q99626
Alternative Name :	Caudal type homeobox 2; Caudal type homeobox transcription factor 2; Caudal-type homeobox protein 2; CDX2
Isotype :	Mouse IgG1, kappa
Immunogen Information :	Recombinant fragment (around aa150-249) of human CDX2 protein (exact sequence is proprietary)

Description

The intestine-specific transcription factors CDX1 and CDX2 are important for directing intestinal development, differentiation, proliferation and maintenance of the intestinal phenotype. CDX2 protein expression has been seen in GI carcinomas. Anti-CDX2 has been useful to establish GI origin of metastatic adenocarcinomas and carcinoids and is especially useful to distinguish metastatic colorectal adenocarcinoma from lung adenocarcinoma. However, mucinous carcinomas of the ovary also express CDX2 protein. It limits the usefulness of this marker in the distinction of metastatic colorectal adenocarcinoma from mucinous carcinoma of the ovary.

Product Info

Amount :	20 µg / 100 µg
Content :	200µg/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Storage condition :	Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months.

Application Note

ELISA (Use Ab at 2-4ug/ml for coating) (Order Ab without BSA); ,Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 min at RT),(Staining of formalin-fixed tissues is enhanced by heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0 for 45 min at 95°C followed by cooling at RT for 20 minutes),




Fig.1: Formalin-fixed, paraffin-embedded human Colon stained with CDX2 Mouse Monoclonal Antibody (rCDX2/1690).




Fig. 2: Formalin-fixed, paraffin-embedded human Colon stained with CDX2 Mouse Monoclonal Antibody (rCDX2/1690).




Fig. 3: SDS-PAGE Analysis Purified CDX2 Mouse Monoclonal Antibody (rCDX2/1690). Confirmation of Purity and Integrity of Antibody.