w abeomics

36-2178: Anti-TAG-72 / CA72.4 (Tumor-Associated Glycoprotein) Monoclonal Antibody(Clone: CA72/2869R)

Clonality :	Monoclonal
Clone Name :	CA72/2869R
Application :	IHC
Reactivity :	Human, Rat
Gene ID :	182875
Alternative Name :	CA72.4, Tumor associated glycoprotein 72
Isotype :	Rabbit IgG
Immunogen Information :	Purified TAG-72 protein

Description

Recognizes an oncofetal antigen of 220kDa, identified as a tumor-associated glycoprotein (TAG-72) with properties of a mucin. This MAb defines the mucin-carried sialylated-Tn epitope. TAG-72 is usually expressed by adenocarcinomas, but is negative in mesotheliomas. Studies have reported that this antibody has 80% sensitivity and 93% specificity for pulmonary adenocarcinoma. Therefore, TAG-72 is a useful marker to distinguish between mesothelioma and adenocarcinoma. However, false positive reactions can occur so results must be interpreted with the utmost caution. This antibody may be useful in the differentiation of non-small cell carcinomas from small cell carcinomas of the lung. The combined use of anti-TAG-72 and anti-GCDFP-15 is valuable in the diagnosis of apocrine carcinoma.

Product Info

Amount :	20 µg / 100 µg
Content :	200 μg/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Storage condition :	Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous.

Application Note

Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT) (Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes);



Fig. 1: SDS-PAGE Analysis Purified TAG-72 Rabbit Recombinant Monoclonal Antibody (CA72/2869R). Confirmation of Purity and Integrity of Antibody.

₩ abeomics

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982 Email: info@abeomics.com



Fig. 2: Formalin-fixed, paraffin-embedded human Ovary stained with TAG-72 Rabbit Recombinant Monoclonal Antibody (CA72/2869R).