

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 10-4090-F: Monoclonal Antibody to CD4 (Clone: RPA-T4) FITC Conjugated

Clonality: Monoclonal **Clone Name:** RPA-T4 FACS Application: Reactivity: Human Conjugate: **FITC** Gene: CD4 Gene ID: 920 **Uniprot ID:** P01730 Format: **Purified Alternative Name:** CD4

**Isotype:** Mouse IgG1 Kappa

Immunogen Information: PHA-stimulated human PBMC.

## **Description**

CD4 is a 51 kDa membrane glycoprotein that is expressed on subsets of thymocytes and mature T lymphocytes where it works as co-receptor for T-cell receptor and interacts with MHC Class II processed antigens. CD4 is also expressed on surface of monocytes, macrophages and dendritic cells. CD4 also regulates T-cell activation and differention. CD4 is identified as the cellular receptor for HIV and several other viral infections. CD4 is highly expressed in thymus, spleen and lymphocyte.

## **Product Info**

**Amount :**  $25 \mu g / 100 \mu g$ 

**Purification:** Protein G Chromatography

**Content:** 0.2 mg/ml in Tris buffer containing 0.05% Azide **Storage condition:** Store the antibody at 4°C, stable for 6 months.

## **Application Note**

FACS analysis: 0.5 μg/10<sup>6</sup> cells




Fig-1: Cell surface flow analysis of hCD4 antibody in PBMC using 0.5  $\mu$ g/10^6 cells. Green represents isotype control (ABEOMICS); red represents anti-hCD4 antibody conjugated with FITC (10-4090F).