

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

36-2941: Anti-Alpha-1-Antitrypsin (SERPINA1) (Hepatocellular & Histiocytic Marker) Monoclonal Antibody(Clone: AAT/1379)

Clonality: Monoclonal
Clone Name: AAT/1379
Application: WB,IHC
Reactivity: Human
Gene: SERPINA1
Gene ID: 5265
Uniprot ID: P01009

A1AT; AAT; Alpha 1 antiproteinase Alpha 1-antitrypsin; Alpha-1 protease inhibitor; Alpha-1-

antiproteinase; alpha1 proteinase inhibitor; Alpha1AT; Dom1; Serine (or cysteine) proteinase inhibitor clade A member 1: Serine proteinase inhibitor 1-1: Serine prot

Alternative Name: inhibitor clade A member 1; Serine protease inhibitor 1-1; Serine protease inhibitor Ala;

Serpin A1a; Serpin peptidase inhibitor clade A member 1; Serpina1; Short peptide from AAT;

SPAAT; Spi1-1

Isotype: Mouse IgG1, kappa

Immunogen Information: Recombinant human Alpha-1-Antitrypsin (AAT) protein fragment

Description

The immunohistochemical staining of AAT is useful in identification of benign and malignant hepatic tumors and yolk sac carcinomas. Positive staining for AAT is also used in detection of benign and malignant lesions of histiocytic nature. This antibody is may also useful tool in the screening of patients with cryptogenic cirrhosis or other forms of liver disease with fibrosis of uncertain origin.

Product Info

Amount : $20 \mu g / 100 \mu g$

Content: 200 µg/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS

with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.

Storage condition : Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody

is stable for 24 months. Non-hazardous.

Application Note

Western Blot (1-2ug/ml); Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes);




Fig. 1: Formalin-fixed, paraffin-embedded human Tonsil stained with Alpha-1-Antitrypsin Mouse Monoclonal Antibody (AAT/1379).



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Fig. 2: SDS-PAGE Analysis Purified Alpha-1-Antitrypsin Mouse Monoclonal Antibody (AAT/1379). Confirmation of Integrity and Purity of Antibody.