

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

36-2978: Anti-ATRX / RAD54 (Alpha Thalassemia Mental Retardation) Monoclonal Antibody(Clone: 39f)

Clonality: Monoclonal

Clone Name: 39f
Application: IHC
Reactivity: Human
Gene: ATRX
Gene ID: 546
Uniprot ID: P46100

Alpha thalassemia/mental retardation syndrome X linked homolog; ATP-dependent helicase

Alternative Name:

ATRX; ATRX; DNA-dependent ATPase and helicase; MRXHF1; RAD54; RAD54L; SFM1;

SHS; Transcriptional regulator ATRX; X-linked helicase II; X-linked nuclear protein; XH2; XNP;

Znf-HX

Isotype: Mouse IgG1, kappa

Immunogen Information: Recombinant full-length human ATRX protein

Description

ATRX is a member of the Snf2 family of helicase/ATPases, which contribute to the remodeling of the nucelosome structure in an ATP-dependent manner, and facilitate the initiation of transcription and replication. Structurally, ATRX contains a PHD zinc finger motif. ATRX is regulated throµghout the cell cycle where it is differentially distributed within the nucleus. During interphase, ATRX predominately associates with the nuclear matrix, while during mitosis, ATRX localizes with condensed chromatin. At the onset of M phase, phosphorylation rapidly induces this redistribution of ATRX to the short arms of human acrocentric chromosomes, where it then specifically complexes with heterochromatin protein 1 thalassemia or ATRX syndrome

Product Info

Amount: 20 μg / 100 μg

Content: 200 µg/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS

with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.

Storage condition : Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody

is stable for 24 months. Non-hazardous.

Application Note

Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes);




Fig. 1: Formalin-fixed, paraffin-embedded human Pancreas stained with ATRX Mouse Monoclonal Antibody (39f).



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Fig. 2: SDS-PAGE Analysis Purified ATRX Mouse Monoclonal Antibody (39f). Confirmation of Integrity and Purity of Antibody.