

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

36-3483: Anti-CD3e (T-Cell Marker) Polyclonal Antibody

Clonality: Polyclonal

Application: WB
Reactivity: Human
Gene: CD3E
Gene ID: 916
Uniprot ID: P07766

CD 3E, CD3 epsilon, CD3 TCR complex, CD3E, CD3e antigen epsilon polypeptide (TiT3

Alternative Name: complex), T cell antigen receptor complex epsilon subunit of T3, T-cell surface antigen T3/Leu-4

epsilon chain, T-cell surface glycoprotein CD3 epsilon chain, T3E, TCRE, TiT3 complex

Isotype: Rabbit IgG

Immunogen Information: A synthetic peptide aa156-168 (ERPPPVPNPDYEP) from human CD3e

Description

Recognizes the epsilon-chain of CD3, which consists of five different polypeptide chains (designated as gamma, delta, epsilon, zeta, and eta) with MW ranging from 16-28kDa. The CD3 complex is closely associated at the lymphocyte cell surface with the T cell antigen receptor (TCR). Reportedly, CD3 complex is involved in signal transduction to the T cell interior following antigen recognition. The CD3 antigen is first detectable in early thymocytes and probably represents one of the earliest signs of commitment to the T cell lineage. In cortical thymocytes, CD3 is predominantly intra-cytoplasmic. However, in medullary thymocytes, it appears on the T cell surface. CD3 antigen is a highly specific marker for T cells, and is present in majority of T cell neoplasms.

Product Info

Amount : $20 \mu g / 100 \mu g$

Content: 200 µg/ml of Ab Purified from rabbit anti-serum by Protein A. Prepared in 10mM PBS with 0.05%

BSA & 0.05% azide. Also available WITHOUT BSA at 1.0mg/ml.

Storage condition:

Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is

stable for 24 months. Non-hazardous.

Application Note

Western Blot (1-2ug/ml for 60 minutes at RT);




Fig. 1: Western blot of CD3e in human Jurkat cells (1) absence and (2) presence of immunizing peptide. (3) Mouse thymus probed with CD3e Rabbit Polyclonal Antibody.



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Fig. 2: Western Blot of Jurkat cell lysate using CD3e Rabbit Polyclonal Antibody.




Fig. 3: SDS-PAGE Analysis Purified CD3e Rabbit Polyclonal Antibody Confirmation of Purity and Integrity of Antibody.