

## 36-3716: Anti-Cyclin A1 Monoclonal Antibody(Clone: XLA1-3)

<b>Clonality :</b>	Monoclonal
<b>Clone Name :</b>	XLA1-3
<b>Application :</b>	WB
<b>Uniprot ID :</b>	P18606
<b>Alternative Name :</b>	CCN1, CCNA, CCNA2, Cyclin A1
<b>Isotype :</b>	Mouse IgG1, kappa
<b>Immunogen Information :</b>	Recombinant full-length <i>Xenopus laevis</i> Cyclin A1 protein

### Description

The critical role that the family of regulatory proteins known as cyclins play in eukaryotic cell cycle regulation is well established. The best-characterized cyclin complex is the mitotic cyclin B/Cdc2 p34 kinase, the active component of maturing promoting factor. Cyclin A accumulates prior to cyclin B in the cell cycle, appears to be involved in control of S phase and has been shown to associate with cyclin-dependent kinase-2 (Cdk2). In addition, cyclin A has been implicated in cell transformation and is found in complexes with E1A, transcription factors DRTF1 and E2F, and retinoblastoma protein p110. A second form of cyclin A, named cyclin A1 because of its high sequence homology to *Xenopus* cyclin A1, is most highly expressed in germ cells. It has been proposed that cyclin A1 can associate with Cdk2, p39 and Cdc2 p34. The antibody detects *Xenopus* cyclin A in blots. Cyclin A1 is the embryonic cyclin which is present in *Xenopus* eggs. This MAb only detects *Xenopus* Cyclin A1.

### Product Info

<b>Amount :</b>	20 µg / 100 µg
<b>Content :</b>	200 µg/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
<b>Storage condition :</b>	Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous.

### Application Note

Western Blot (1-2ug/ml);




Fig. 1: Western Blot Analysis of (1) HeLa (2) Jurkat and (3) MCF-7 cell lysates using Cyclin A1 Mouse Monoclonal Antibody (XLA1-3).




Fig. 2: SDS-PAGE Analysis Purified Cyclin A1 Mouse Monoclonal Antibody (XLA1-3). Confirmation of Purity and Integrity of Antibody.