

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 36-3822: Anti-IL-4 (Interleukin-4), Mouse Monoclonal Antibody(Clone: 11B11)

Clonality: Monoclonal
Clone Name: 11B11
Application: ELISA,FACS,IF

Reactivity: Mouse
Gene ID: 16189
Uniprot ID: P07750

B cell growth factor 1 (BCGF1); B cell IgG differentiation factor; B-Cell Stimulatory Factor 1  $\,$ 

Alternative Name: (BSF1); Binetrakin; IGG1 induction factor; IL4; II4e12; Interleukin 4 variant 2; Interleukin 4,

isoform 1; Interleukin-4; Lymphocyte stimulatory factor 1; Pitrakinra

**Isotype:** Rat IgG1, kappa

Immunogen Information: Partially Purified native Mouse IL-4

## **Description**

IL-4 is a pleiotropic cytokine produced by activated T cells, mast cells, and basophils. IL-4 is a potent lymphoid cell growth factor, which stimulates the growth and activation of certain B cells and T cells. IL-4 is important for regulation of T helper subset development. IL-4 is expressed primarily by activated Th2 cells and NK cells, and at lower levels by mast cells, and basophils. IL-4 signals throµgh the IL-4R, and dendritic cell IL-12.

## **Product Info**

**Amount :**  $20 \mu g / 100 \mu g$ 

Content: 200 µg/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS

with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.

**Storage condition :** Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody

is stable for 24 months. Non-hazardous.

## **Application Note**

ELISA (For coating, order Ab without BSA & Azide); Neutralization Studies (Order Ab without BSA & Azide); Flow Cytometry (1-2ug/million cells); Immunofluorescence (1-2ug/ml);




Fig. 1: SDS-PAGE Analysis Purified IL-4 Rat Monoclonal Antibody (11B11). Confirmation of Integrity and Purity of Antibody.