

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-190019: Recombinant SARS-CoV-2 Spike S1 Protein with His tag and Avi

Application : Functional Assay **Gene ID :** 43740568

Alternative Name: S1 protein; Spike glycoprotein Subunit1; S glycoprotein Subunit1; Spike protein S1; novel coronavirus

s1 Protein

Description

Source: HEK 293 cells. The spike protein (S) of coronavirus (CoV) attaches the virus to its cellular receptor, angiotensin-converting enzyme 2 (ACE2). A defined receptor-binding domain (RBD) on S mediates this interaction. The S protein plays key parts in the induction of neutralizing-antibody and T-cell responses, as well as protective immunity.

Product Info

Amount : 100 μg

Purification: >95% by SDS-PAGE.

Content: Lyophilized from a 0.22 μm filtered solution of PBS, pH 7.4. Reconstitute to a concentration of

0.1-0.5 mg/mL in sterile distilled water.

Store the lyophilized protein at -20°C to -80 °C for long term. After reconstitution, the protein

Storage condition: solution is stable at -20 °C for 3 months, at 2-8 °C for up to 1 week. Avoid repeated freeze/thaw

cycles.

Amino Acid: The target protein is expressed with sequence (Gln14-Arg683) of 2019-ncov Spike S1 fused with

a 6×His tag and Avi at the C-terminus.

Application Note

Bio-Activity: Measured by its binding ability in a functional ELISA. Immobilized Recombinant 2019-nCoV Spike S1-His at $2\mu g/mL$ (100 $\mu L/well$) can bind Recombinant Human ACE2 with a linear range of 1.5-15 ng/mL. **Endotoxin**: < 1.0 EU/ μ g of the protein by LAL method.




Figure-1: Recombinant 2019-nCoV Spike S1 protein on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Figure-2: Immobilized Recombinant 2019-nCoV Spike S1-His at $2\hat{l}\frac{1}{4}$ g/mL (100 $\hat{l}\frac{1}{4}$ L/well) can bind Recombinant Human ACE2 with a linear range of 1.5-15 ng/mL.