

## 29-1009: Anti-SARS-CoV-2 Spike Protein S1, mAb (Rec,blocking) (Clone: Covi-1) (Azide free)

<b>Clonality :</b>	Monoclonal
<b>Clone Name :</b>	Covi-1
<b>Application :</b>	Functional Assay,ELISA,WB
<b>Uniprot ID :</b>	P0DTC2
<b>Alternative Name :</b>	2019-nCoV Spike Protein S1
<b>Isotype :</b>	Human IgG1
<b>Immunogen Information :</b>	Recombinant SARS-CoV-2 Spike Protein S1 receptor binding domain.

### Description

This is a Recombinant Human antibody

Coronaviruses (CoVs) are enveloped non-segmented positive-sense single-stranded RNA viruses and can infect respiratory, gastrointestinal, hepatic and central nervous system of human and many other wild animals. Recently, a new severe acute respiratory syndrome  $\beta$ -coronavirus called SARS-CoV-2 (or 2019-nCoV) has emerged, which causes an epidemic of acute respiratory syndrome (called coronavirus human disease 2019 or COVID-19).

SARS-CoV-2 shares 79.5% sequence identity with SARS-CoV and is 96.2% identical at the genome level to the bat coronavirus BatCoV RaTG133, suggesting it had originated in bats. SARS-CoV-2 contains 4 structural proteins, including Envelope (E), Membrane (M), Nucleocapsid (N) and Spike (S), which is a transmembrane protein, composed of two subunits S1 and S2. The S1 subunit contains a receptor binding domain (RBD), which binds to the cell surface receptor Angiotensin-Converting Enzyme 2 (ACE2) present at the surface of epithelial cells, causing mainly infection of human respiratory cells.

### Product Info

<b>Amount :</b>	100 $\mu$ g
<b>Purification :</b>	$\geq$ 98% (SDS-PAGE)
<b>Content :</b>	1mg/ml. Liquid. In PBS.
<b>Storage condition :</b>	Short Term Storage +4°C. Long Term Storage -20°C. Avoid freeze/thaw cycles. Stable for at least 1 year after receipt when stored at -20°C.

### Application Note

ELISA Binding Assay;

Functional Application: Blocking;

Western Blot: Works only in non-denatured conditions (1:1000).

R  
e  
c  
o  
g  
n  
i  
z  
e  
s  
a  
n  
d  
b  
i  
n  
d  
s  
t  
o  
r  
e  
c  
o  
m  
b  
i  
n  
a  
n  
t  
S  
A  
R  
S  
-  
C  
o  
V  
-  
2  
S  
p  
i  
k  
e  
P  
r  
o  
t  
e  
i  
n  
S  
1  
.  
I  
t  
b  
l  
o  
c  
k  
s  
t  
h  
e  
i  
n  
t  
e  
r  
a  
c  
t  
i  
o  
n  
o  
f  
S  
A  
R  
S  
-  
C  
o  
V  
-  
2  
S  
p  
i  
k  
e  
P  
r  
o  
t  
e  
i  
n  
S  
1  
(  
R  
B  
D  
)  
t  
o  
h  
u  
m  
a  
n  
A  
C  
E  
2  
.




Figure 1: Binding of human ACE2 to the Spike protein of SARS-CoV-2 is inhibited by the antibody SARS-CoV-2 Spike Protein S1, mAb (rec.) (blocking) (Clone: Covi-1).




Figure 2: ELISA binding assay with SARS-CoV-2 S1 Protein (RBD) (rec.) (His) using anti-SARS-CoV-2 Spike Protein S1, mAb (rec.) (Clone: Covi-1) (blue line) and an unrelated antibody as negative control (red line)