

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 12-4297: Phospho-mTOR (Ser2448) (Clone: E11) rabbit mAb FITC Conjugate

Clonality: Monoclonal

Clone Name: mTORS2448-E11

Application: FACS
Reactivity: Human
Conjugate: FITC

Serine/threonine-protein kinase mTOR, FK506-binding protein 12-rapamycin complex-associated

Alternative Name: protein 1, FKBP12-rapamycin complex-associated protein, Mammalian target of rapamycin,

Mechanistic target of rapamycin, Rapamycin and FKBP12 target 1, Rapamycin target protein 1,

FRAP, FRAP1, FRAP2, RAFT1, RAPT1

**Isotype:** Rabbit IgG1k

Immunogen Information : A synthetic phospho-peptide corresponding to residues surrounding Ser2448 of human phospho

mTOR

## **Description**

mTOR, mammalian target of rapamycin, is a Serine/Threonine protein kinase (1-2) that functions as an amino acid and ATP sensor to balance cell growth and nutrient availability (3-4). When sufficient nutrients are available, mTOR transmits a positive signal to p70 S6 kinase and participates in the inactivation of 4E-BP1 (5). mTOR plays a key role in homeostasis and cell growth, and phospho mTOR may be abnormally regulated in tumors. mTOR is a potential target for anti-cancer therapy (6).

## **Product Info**

Amount: 10 Tests / 100 Tests

Content: 1X PBS, 0.09% NaN3, 0.2% BSA

**Storage condition :** Store at 2-8°C. Avoid repeated freeze and thaw cycles.

## **Application Note**

For flow cytometric staining, the suggested use of this reagent is 5  $\mu$ L per million cells or 5  $\mu$ L per 100  $\mu$ L of staining volume. It is recommended that the reagent be titrated for optimal performance for each application. See product image legends for additional information.




Fig-1: Flow cytometric analysis of A431 cells treated with phosphatase and unstained as negative control (blue) or treated with phosphatase (red) or EGF (green) and stained using Phospho-mTOR (Ser2448) FITC conjugated antibody mTORS2448-E11.