

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-9193: Recombinant Human BTN3A1/CD277 (C-hFc)

Alternative Name: Butyrophilin subfamily 3 member A1; CD277; BTN3A1; BTF5

Description

Source: Human 293 Cells;

BTN3A1, also known as CD277, is a type I transmembrane glycoprotein that belongs to the Ig superfamily. BTN3A1 is expressed on various immune cells. Similar to BTN3A2 and BTN3A3, BTN3A1 is composed of an extracellular N-terminal IgV and a membrane-proximal IgC domain followed by a transmembrane domain and a cytoplasmic tail. These Ig domains are also found in B7 family co-stimulatory molecules, suggesting structural and functional similarities between the two protein families. BTN3A1 is essential for the activation of Vgamma9Vdelta2 T cells following the detection of distressed cells. The anti-tumor responses of Vgamma9Vdelta2 T cells may be enhanced with agonistic anti-BTNA3 antibodies.

Product Info

Amount : 500 μg / 50 μg

Content: Lyophilized from a 0.2 um filtered solution of PBS, 5% Trehalose, 0.01%Tween 80, pH7.4

Amino Acid: Recombinant Human Butyrophilin Subfamily 3 Member A1 is produced by our Mammalian

expression system and the target gene encoding Gln30-Gly254 is expressed with a Fc tag at the

C-terminus.