

## 32-6361: FST Human, Sf9

**Alternative Name :** Follistatin, FS, Activin-Binding Protein, Follistatin Isoform FST317, FST.

### Description

Source: Sf9, Baculovirus cells.

Sterile filtered colorless solution.

Follistatin is a single-chain gonadal protein that specifically inhibits follicle-stimulating hormone release. The single FST gene encodes two isoforms, FST317 and FST344 containing 317 and 344 amino acids respectively, resulting from alternative splicing of the precursor mRNA. In a study in which 37 candidate genes were tested for linkage and association with polycystic ovary syndrome (PCOS) or hyperandrogenemia in 150 families, evidence was found for linkage between PCOS and follistatin. Follistatin binds directly to activin and functions as an activin antagonist. specific inhibitor of the biosynthesis and secretion of pituitary follicle stimulating hormone (fsh).

FST produced in Sf9 Baculovirus cells is a single, glycosylated polypeptide chain containing 295 amino acids (30-317a.a.) and having a molecular mass of 32.5kDa.FST is expressed with a 7 amino acid His tag at C-Terminus and purified by proprietary chromatographic techniques.

### Product Info

**Amount :** 2 µg / 10 µg

**Purification :** Greater than 90.0% as determined by SDS-PAGE.

**Content :** FST protein solution (0.25mg/ml) contains Phosphate buffered saline (pH7.4) and 10% glycerol.

**Storage condition :** Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA).Avoid multiple freeze-thaw cycles.

**Amino Acid :** MGNCWLRQAK NGRCQVLYKT ELSKEECST GRLSTSWTEE DVNDNTLFKW MIFNGGAPNC  
IPCKETCENV DCGPGKKCRM NKKNKPRVC APDCSNITWK GPVCGLDGKT YRNECALLKA RCKEQPELEV  
QYQGRCKKTC RDVFCPGSST CVVDQTNAY CVTCNRCPE PASSEQYLCG NDGVITYSSAC HLRKATCLLG  
RSIGLAYEGK CIKAKSCEDI QCTGGKKCLW DFKVGRGRCS LCDELCPDSK SDEPVCASDN ATYASECAMK  
EAACSSGVLL EVKHSGSCNH HHHHH