

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-6431: IL 6 Mouse, Sf9

Application: Functional Assay

Alternative Name: Interleukin-6, IL-6, B-cell hybridoma growth factor, Interleukin HP-1.

Description

Source: Sf9, Baculovirus cells. Sterile Filtered colorless solution.

II-6 is a cytokine with a wide variety of biological functions: it plays an essential role in the final differentiation of b-cells into igsecreting cells, it induces myeloma and plasmacytoma growth, it induces nerve cells differentiation, in hepatocytes it induces acute phase reactants.

Interleukin-6 Mouse Recombinant produced in Sf9 Baculovirus cells is a single, glycosylated polypeptide chain containing 193 amino acids (25-211a.a.) and having a molecular mass of 22.5kDa (Molecular size on SDS-PAGE will appear at approximately 18-28kDa). IL6 is expressed with a 6 amino acid His tag at C-Terminus and purified by proprietary chromatographic techniques.

Product Info

Amount: $2 \mu g / 10 \mu g$

Purification: Greater than 95% as determined by SDS-PAGE.

Content: IL 6 protein solution (0.5mg/ml) contains Phosphate Buffered Saline (pH 7.4) and 10% glycerol.

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of

Storage condition : time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Avoid

multiple freeze-thaw cycles.

Amino Acid: FPTSQVRRGD FTEDTTPNRP VYTTSQVGGL ITHVLWEIVE MRKELCNGNS DCMNNDDALA

ENNLKLPEIQ RNDGCYQTGY NQEICLLKIS SGLLEYHSYL EYMKNNLKDN KKDKARVLQR DTETLIHIFN QEVKDLHKIV LPTPISNALL TDKLESQKEW LRTKTIQFIL KSLEEFLKVT

LRSTRQTHHH HHH.

Application Note

Measured in a cell proliferation assay using M-NFS-60 mouse B cell. The ED50 for this effect is less or equal to 0.1 ng/ml.