

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-6555: 4-1BBR Mouse

Alternative Name: Tumor necrosis factor receptor superfamily member 9, 4-1BB ligand receptor, T-cell antigen 4-1BB, CD137.

Description

Source: Sf9, Baculovirus cells. Sterile Filtered colorless solution.

The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor contributes to the clonal expansion, survival, and development of T cells. It can also induce proliferation in peripheral monocytes, enhance T cell apoptosis induced by TCR/CD3 triggered activation, and regulate CD28 co-stimulation to promote Th1 cell responses. The expression of this receptor is induced by lymphocyte activation. TRAF adaptor proteins have been shown to bind to this receptor and transduce the signals leading to activation of NF-kappaB.

4-1BBR produced in Sf9 Baculovirus cells is a single, glycosylated polypeptide chain containing 172 amino acids (24-187 a.a.) and having a molecular mass of 18.6kDa (Migrates at 18-28kDa on SDS-PAGE under reducing conditions).

Product Info

Amount: $1 \mu g / 5 \mu g$

Purification : Greater than 90.0% as determined by SDS-PAGE.

Content: 4-1BBR protein solution (0.5mg/ml) contains Phosphate Buffered Saline (pH 7.4) and 10%

glycerol.

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods

Storage condition : of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA).

Avoid multiple freeze-thaw cycles.

Amino Acid: VONSCDNCOP GTFCRKYNPV CKSCPPSTFS SIGGOPNCNI CRVCAGYFRF KKFCSSTHNA ECECIEGFHC

LGPQCTRCEK DCRPGQELTK QGCKTCSLGT FNDQNGTGVC RPWTNCSLDG RSVLKTGTTE

KDVVCGPPVV SFSPSTTISV TPEGGPGGHS LQVLLEHHHH HH.