

32-6596: VEGFC Human, Sf9

Alternative Name : Vascular Endothelial Growth Factor C, Vascular Endothelial Growth Factor-Related Protein, Flt4-L, VRP, FLT4 Ligand DHM, Flt4 Ligand, LMPH1D, VEGF-C, Vascular endothelial growth factor C, VEGF-C, Flt4 ligand, Flt4-L, Vascular endothelial growth factor-related protein.

Description

Source: Sf9, Baculovirus cells.

Sterile filtered colorless solution.

VEGF-C, also known as Vascular Endothelial Growth Factor Related Protein (VRP), is a recently discovered VEGF growth factor family member that is most closely related to VEGF-D. Human VEGF-C cDNA encodes a pre-pro-protein of 416 amino acids residues. It is almost identical to the mouse VEGF-C protein. Similar to VEGF-D, VEGF-C has a VEGF homology domain spanning the middle third of the precursor molecule and long N- and C-terminal extensions. In adults, VEGF-C is highly expressed in heart, placenta, ovary and small intestine. Recombinant human VEGF-C, lacking the N- and C-terminal extensions and containing only the middle VEGF homology domain, forms primarily non-covalently linked dimers. This protein is a ligand for both VEGFR-2/KDR and VEGFR-3/FLT-4. Since VEGFR-3 is strongly expressed in lymphatic endothelial cells, it has been postulated that VEGF-C is involved in the regulation of the growth and/or differentiation of lymphatic endothelium. Although recombinant human VEGF-C is also a mitogen for vascular endothelial cells, it is much less potent than VEGF-A.

VEGFC Human Recombinant produced in Sf9 Baculovirus cells is a single, glycosylated polypeptide chain containing 125 amino acids (112-227a.a.) and having a molecular mass of 14.2kDa (Molecular size on SDS-PAGE will appear at approximately 18-28kDa). VEGFC is expressed with a 6 amino acid His tag at C-Terminus and purified by proprietary chromatographic techniques.

Product Info

Amount :	2 µg / 10 µg
Purification :	Greater than 90.0% as determined by SDS-PAGE.
Content :	VEGFC protein solution (0.5mg/ml) contains Phosphate Buffered Saline (pH 7.4) and 20% glycerol.
Storage condition :	Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Avoid multiple freeze-thaw cycles.
Amino Acid :	ADPAHYNTEI LKSIDNEWRK TQCMPREVC I DVGKEFGVAT NTFFKPPCVS VYRCGGCCNS EGLQCMNTST SYLSKTLFEI TVPLSQGPKP VTISFANHTS CRCMSKLDVY RQVHSIIRRH HHHHH.