

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 32-13080: CD8A Human

**Alternative Name :** CD8A, T-cell surface glycoprotein CD8 alpha chain, T-lymphocyte differentiation antigen T8/Leu-2, CD8a, MAL, CD8, Leu2, p32, T-cell surface glycoprotein CD8 alpha chain isoform 1.

## **Description**

Source: Sf9, Baculovirus cells. Sterile filtered colorless solution.

CD8 protein is a glycoprotein that is located on the cell surface of cytotoxic T lymphocytes the interferes interactions between cells of the immune system. This protein is a coreceptor that helps detect antigens shown by the APC (antigen presenting cells) as part of the class I MHC proteins. It can be a homodimer build from 2 alpha chains orheterodimer build from alpha and beta chains.

CD8A Human Recombinant produced in Baculovirus is a single, glycosylated, polypeptide chain containing 170 amino acids (22-182aa) and having a molecular mass of 18.7kDa.CD8A is expressed with a 9 amino acid His tag at C-Terminus and purified by proprietary chromatographic techniques.

## **Product Info**

Amount:  $2 \mu g / 10 \mu g$ 

**Purification:** Greater than 95.0% as determined by SDS-PAGE.

**Content:** The CD8A solution (0.5mg/ml) contains Phosphate-Buffered Saline (pH 7.4) and 10% glycerol.

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods

**Storage condition:** of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or

BSA). Avoid multiple freeze-thaw cycles.

Amino Acid: ADPSQFRVSP LDRTWNLGET VELKCQVLLS NPTSGCSWLF QPRGAAASPT FLLYLSQNKPKAAEGLDTQR

FSGKRLGDTF VLTLSDFRRE NEGYYFCSAL SNSIMYFSHF VPVFLPAKPTTTPAPRPPTP APTIASQPLS

LRPEACRPAA GGAVHTRGLD FACDHHHHHH