

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-13391: RSPO1 Mouse

Alternative Name: R-spondin-1, Cristin-3, mCristin-3, Roof plate-specific spondin-1, Rspo1, RSPO, R-spondin 1, R-spondin, Rspondin, Rspondin, CRISTIN3.

Description

Source: Sf9, Baculovirus cells. Sterile Filtered colorless solution.

R-Spondin-1 (Rspo1) is a part of the Rspondin family. Rspo1 plays a role as an activator of the canonical Wnt signaling pathway by acting as a ligand for LGR4-6 receptors. Rspo1 induces the onset of crypt cell proliferation and increases intestinal epithelial healing effect. Rspo1 is negatively regulating the TGF-beta pathway.

RSPO1 produced in Sf9 Baculovirus cells is a single, glycosylated polypeptide chain containing 254 amino acids (21-265a.a.) and having a molecular mass of 28.2kDa (Molecular size on SDS-PAGE will appear at approximately 28-40kDa). RSPO1 is expressed with an 9 amino acid His tag at C-Terminus and purified by proprietary chromatographic techniques.

Product Info

Amount: 2 μg / 10 μg

Purification: Greater than 90.0% as determined by SDS-PAGE.

Content: RSPO1 protein solution (0.5mg/ml) contains Phosphate Buffered Saline (pH 7.4) and 10%

glycerol.

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods

Storage condition: of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA).

Avoid multiple freeze-thaw cycles.

Amino Acid: ADPSRGIKGK RQRRISAEGS QACAKGCELC SEVNGCLKCS PKLFILLERN DIRQVGVCLP SCPPGYFDAR

NPDMNKCIKC KIEHCEACFS HNFCTKCQEG LYLHKGRCYP ACPEGSTAAN STMECGSPAQ CEMSEWSPWG PCSKKRKLCG FRKGSEERTR RVLHAPGGDH TTCSDTKETR KCTVRRTPCP

EGQKRRKGGQ GRRENANRHP ARKNSKEPGS NSRRHKGQQQ PQPGTTGPLT SVGPTWAQHH HHHH.