w abeomics

32-13628: Zika Ectodomain

Zika virus (ZIKV) belongs to the family Flaviviridae and the genus Flavivirus, it is transmitted by daytime-active Aedes mosquitoes, such as A. aegypti and A. albopictus. The Zika virus is related to the dengue, yellow fever, Japanese encephalitis, and West Nile viruses. Much like the other flaviviruses, Zika virus is enveloped and icosahedral and has a nonsegmented, single-stranded, positive-sense RNA genome. Zika fever is an infection, which often causes no symptoms or only mild ones, like a mild form of dengue fever, and it is treated by rest. As of February 2016, there has been mounting evidence that Zika fever in pregnant women can cause abnormal brain development in their fetuses by mother-to-child transmission, which may result in miscarriage or microcephaly, however it is not yet known whether Zika virus causes microcephaly. Furthermore, a connection has been established with neurologic conditions in infected adults, including GuillainÂ-Barre syndrome.

Description

Source: Baculovirus Insect Cells.

Sterile Filtered solution.

Zika virus (ZIKV) belongs to the family Flaviviridae and the genus Flavivirus, it is transmitted by daytime-active Aedes mosquitoes, such as A. aegypti and A. albopictus. The Zika virus is related to the dengue, yellow fever, Japanese encephalitis, and West Nile viruses. Much like the other flaviviruses, Zika virus is enveloped and icosahedral and has a nonsegmented, single-stranded, positive-sense RNA genome. Zika fever is an infection, which often causes no symptoms or only mild ones, like a mild form of dengue fever, and it is treated by rest. As of February 2016, there has been mounting evidence that Zika fever in pregnant women can cause abnormal brain development in their fetuses by mother-to-child transmission, which may result in miscarriage or microcephaly, however it is not yet known whether Zika virus causes microcephaly. Furthermore, a connection has been established with neurologic conditions in infected adults, including GuillainÂ-Barre syndrome.

Recombinant Zika Ectodomain is a glycosylated protein, produced using baculovirus vectors in insect cells and its Mw is approximately 45kDa. The Zika Ectodomain is a recombinant protein of the ectodomain of the envelope protein from the Suriname Zika virus strain.

Product Info

Amount :	2 μg / 10 μg
Purification :	Greater than 90.0% as determined by SDS-PAGE.
Content :	The Zika Ectodomain solution 10mM Sodium phosphate, pH 7.2, 150mM NaCl.
Storage condition :	Zika Ectodomain should be stored at 4°C. Do not freeze!