

## 32-17105: Recombinant human Trop2 protein with C-terminal mouse Fc and 6Å—His tag

**Alternative Name :** TACSTD2, GA733-1, M1S1, TROP2

### Description

Expression Host : HEK293

The protein has a predicted molecular mass of 54.9 kDa after removal of the signal peptide. The apparent molecular mass of Trop2-mFc-His is approximately 55-70 kDa due to glycosylation.

This intronless gene encodes a carcinoma-associated antigen. This antigen is a cell surface receptor that transduces calcium signals. Mutations of this gene have been associated with gelatinous drop-like corneal dystrophy.

### Product Info

<b>Amount :</b>	50 µg
<b>Purification :</b>	The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.
<b>Content :</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose is added as protectants before lyophilization.
<b>Storage condition :</b>	Store at -80°C for 12 months (Avoid repeated freezing and thawing)




Figure 1. Human Trop2 Protein, mFc-His Tag on SDS-PAGE under reducing condition.




Figure 2. ELISA plate pre-coated by 2 µg/ml (100 µl/well) Human Trop2, mFc-His tagged protein can bind Anti-Trop2 Neutralizing antibody in a linear range of 0.13-16.0 ng/ml.