

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-17129: Recombinant Human HVEM Protein with C-terminal 6×His tag

Alternative Name: ATAR; CD270; HVEA; HVEM; LIGHTR; TR2

Description

Expression Host: HEK293

The protein has a predicted molecular mass of 18.2 kDa after removal of the signal peptide. The apparent molecular mass of HVEM-His is approximately 25-55 kDa due to glycosylation.

This gene encodes a member of the TNF (tumor necrosis factor) receptor superfamily. The encoded protein functions in signal transduction pathways that activate inflammatory and inhibitory T-cell immune response. It binds herpes simplex virus (HSV) viral envelope glycoprotein D (gD), mediating its entry into cells. Alternative splicing results in multiple transcript variants.

Product Info

Amount: $50 \mu g$

Purification: The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue

staining.

Content: Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose is added as protectants

before lyophilization.

Storage condition: Store at -80°C for 12 months (Avoid repeated freezing and thawing)




Figure 1. Human HVEM Protein, His Tag on SDS-PAGE under reducing condition.




Figure 2. ELISA plate pre-coated by 2 μ g/ml (100 μ l/well) Human HVEM, His tagged protein can bind Human BTLA,mFc-His tagged protein in a linear range of 0.64-80 ng/ml.

Figure 3. ELISA plate pre-coated by 2 μ g/ml (100 μ l/well) Human HVEM, His tagged protein can bind Human CD160,hFc tagged protein in a linear range of 1.28-160 ng/ml.