

### 30-2558: Anti-Mouse CD49e FITC (Clone : 5H10-27 (MFR5))

<b>Clonality :</b>	Monoclonal
<b>Clone Name :</b>	5H10-27 (MFR5)
<b>Application :</b>	FACS
<b>Reactivity :</b>	Mouse
<b>Conjugate :</b>	FITC
<b>Gene :</b>	Itga5
<b>Gene ID :</b>	16402
<b>Alternative Name :</b>	ITGA5, VLA-5 alpha, FNRA, integrin alpha 5
<b>Isotype :</b>	Rat IgG2a kappa
<b>Immunogen Information :</b>	C57BL/6 x A/J)F1 murine mast cell line

#### Description

CD49e, the alpha 5 integrin, noncovalently associates with the beta 1 integrin (CD29) to form VLA-5 integrin complex. CD49e itself is composed of two disulfide-linked chains of 135 kDa and 25 kDa. VLA-5 binds to RGD sequence of fibronectin, and to neural adhesion molecule L1. It is important in maintaining the integrity of endothelial monolayers, in monocyte migration into the extracellular tissues, and it also provides a co-stimulatory signal to T cells and enhances receptor and complement receptor-mediated phagocytosis.

Specificity : The rat monoclonal antibody 5H10-27 (MFR5) recognizes an extracellular epitope of murine CD49e, a 135 kDa protein serving as VLA-5 alpha chain, expressed on thymocytes, activated T cells, splenic B cells, and mast cells.

#### Product Info

<b>Amount :</b>	0.1 mg
<b>Purification :</b>	The purified antibody is conjugated with fluorescein isothiocyanate (FITC) under optimum conditions. The conjugate is purified by size-exclusion chromatography.
<b>Content :</b>	0.5 mg/ml Formulation : Phosphate buffered saline (PBS) solution with 15 mM sodium azide
<b>Storage condition :</b>	Store in the dark at 2-8°C. Do not freeze. Avoid prolonged exposure to light.