∗ abeomics

30-2572: Anti-Human CD361 APC (Clone : MEM-216)

Clonality :	Monoclonal
Clone Name :	MEM-216
Application :	FACS
Reactivity :	Human
Conjugate :	APC
Gene :	EVI2B
Gene ID :	2124
Alternative Name :	EVI2B, EVDB, ecotropic viral integration site 2B
Isotype :	Mouse IgG1 kappa
Immunogen Information	Raji cells

Description

CD361, also known as EVI2B (Ecotropic Viral Integration site 2B) or EVDB, is a poorly characterized type I transmembrane protein, expressed from one of three genes embedded in intron 27b of the neurofibromatosis type 1 (NF1) gene. The DNA strand that is transcribed to produce CD361 is the complementary one to the strand encoding NF1. Murine homolog to human CD361 is associated with ecotropic viral insertions, which have been implicated in the expression of murine myeloid leukemias. CD361 has been also reported to be involved in melanocyte and keratinocyte differentiation. However, it is expressed mainly in peripheral blood and bone marrow.

Specificity : The mouse monoclonal antibody MEM-216 recognizes an extracellular epitope of CD361 / EVI2B, almost uncharacterized type I transmembrane protein with broad leukocyte expression, mostly in myeloid and B cells.

Product Info	
tests	
purified antibody is conjugated with allophycocyanin (APC) under optimum conditions. The ugate is purified by size-exclusion chromatography.	
nulation : Stabilizing phosphate buffered saline (PBS) solution containing 15 mM sodium e	
e in the dark at 2-8°C. Do not freeze. Avoid prolonged exposure to light.	

Application Note

Flow cytometry: The reagent is designed for analysis of human blood cells using 10 \tilde{A} $\hat{A}\mu$ reagent / 100 \tilde{A} $\hat{A}\mu$ of whole blood or 10⁶ cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests.



Figure 1 : Flow cytometry analysis (surface staining) of human peripheral blood using anti-CD361 antibody (MEM-216) APC.

For Research Use Only. Not for use in diagnostic/therapeutics procedures.