

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 30-2632: Anti-Human CD172ab Antibody (Clone: SE5A5)

Clonality: Monoclonal
Clone Name: SE5A5
Application: FACS
Reactivity: Human
Format: Purified

Alternative Name: PTPNS1, BIT, MFR, SIRPA, SHPS1, SIRPB1

**Isotype:** Mouse IgG1

Immunogen Information: NIH-3T3 / human CD172a cell line

## **Description**

CD172a, the signal-regulatory protein alpha (SIRP alpha), also known as SH2 domain-containing phosphatase substrate-1 (SHPS1), is a 75-110 kDa transmembrane glycoprotein expressed mainly on granulocytes, monocytes, macrophages, dendritic cells and neurons. Its extracellular ligand is CD47. CD172a serves as a substrate of activated receptor tyrosine kinases and upon phosphorylation it recruits SH2 domain-containing tyrosine phosphatases, thereby regulating signal transduction processes related to cell activation, transmigration and phagocytosis. CD172a is a specific marker of cardiomyocytes derived from human pluripotent stem cells and serves as a negative regulator of signaling and growth in myeloid progenitor cells. Extracellular part of CD172b is 90% identical to that of CD172a, but unlike CD172, it has dramatically reduced intracellular domain.

Specificity: The mouse monoclonal antibody SE5A5 recognizes a common extracellular epitope on human CD172a and CD172b antigens (approx. 90 kDa and approx. 50 kDa, respectively), although its reactivity with CD172a is higher.

## **Product Info**

Amount: 0.1 mg

**Purification :** Purified by protein-A affinity chromatography

Content:

Formulation : Phosphate buffered saline (PBS) solution with 15 mM sodium azide

**Storage condition :** Store at 2-8°C. Do not freeze.




Figure 1: Flow cytometry analysis (surface staining) of human peripheral blood cells with anti-human CD172a/b (SE5A5) purified, GAM-APC.