9853 Pacific Heights Blvd.
Suite D. San Diego,
CA 92121, USA
Tel: 858-263-4982
Email: info@abeomics.com

30-2662: Anti-Human CD109 Antibody (Clone : W7C5)

Clonality :	Monoclonal
Clone Name :	W7C5
Application :	FACS
Reactivity :	Human
Gene :	CD109
Gene ID :	135228
Format :	Purified
Alternative Name :	CPAMD7, p180, r150, FLJ38569, GPA,CD109 molecule
Isotype :	Mouse IgG1
Immunogen Information :	WERI-RB-1 retinoblastoma cell line

Description

CD109, also known as the Gov platelet alloantigen, is a GPI-anchored glycoprotein which localizes to the surface of platelets, activated T-cells, and endothelial cells, as well as of various hematopoietic cells and T cell lines. The protein binds to and negatively regulates signaling by transforming growth factor beta (TGF-beta). Multiple transcript variants encoding different isoforms have been found for this gene. The Gov antigen system is involved in platelet transfusion reaction, posttransfusion purpura and in neonatal alloimmune thrombocytopenia.
Specificity : The mouse monoclonal antibody W7C5 recognizes CD109, an approximately 165 kDa GPI-anchored extracellular protein expressed mainly on various hematopoietic cells, activated T lymphoblasts, activated platelets, and endothelial cells.

Product Info

Amount :	0.1 mg
Purification :	Purified from cell culture supernatant by protein-A affinity chromatography
Content :	1 mg/ml Formulation : Phosphate buffered saline (PBS) solution with 15 mM sodium azide
Storage condition :	Store at 2-8°C. Do not freeze.




Figure 1 : Flow cytometry surface staining pattern of human peripheral blood stained using anti-human CD109 (W7C5) purified antibody (concentration in sample 1 µg/ml) GAM APC.

For Research Use Only. Not for use in diagnostic/therapeutics procedures.

9853 Pacific Heights Blvd.
Suite D. San Diego,
CA 92121, USA
Tel: 858-263-4982
Email: info@abeomics.com




Figure 2 : Separation of human monocytes (red-filled) from CD109 negative lymphocytes (black-dashed) in flow cytometry analysis (surface staining) of human peripheral whole blood stained using anti-human CD109 (W7C5) purified antibody (concentration in sample 1 µg/ml) GAM APC.

For Research Use Only. Not for use in diagnostic/therapeutics procedures.