

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

12-8074: Anti-Human IL 12/23 (Briakinumab) - PE

Clone Name : Monoclonal ABT-874

Application: Functional Assay, FACS, IF

Reactivity: Human

Alternative Name: IL-12p40; Interleukin 12; Interleukin 23; IL12; IL23; IL-12; IL-23

Isotype: Human IgG1lambda

Immunogen Information: This antibody was produced by phage display technology.

Description

Expression Host: HEK-293

This non-therapeutic biosimilar antibody uses the same variable region sequence as the therapeutic antibody Briakinumab. Briakinumab recognizes both human IL12 and IL23 via IL-12/23p40. This product is for research use only.

Briakinumab is a human monoclonal antibody targets the p40 subunit shared by interleukins 12 and 23. IL-12 associates with IL-23alpha to form the heterodimeric cytokine IL-23. IL-23 is associated with various autoimmune inflammatory diseases, and is particularly highly expressed in psoriasis skin lesions. In addition, IL-23 is suspected to play a role in tumorigenesis. Briakinumab binds to and neutralizes human IL-12 and IL-23 (via their shared p40 subunit) and is being investigated for the treatment of rheumatoid arthritis, inflammatory bowel disease, and multiple sclerosis. Anti-Human IL 12/23 (Briakinumab) utilizes the same variable regions from the therapeutic antibody Briakinumab making it ideal for research projects.

Product Info

Amount: $50 \mu g$

Concentration: 0.2 mg/ml

Content: This R-phycoerythrin (R-PE) conjugate is formulated in 0.01 M phosphate buffered saline (150

mM NaCl) PBS pH 7.4, 1% BSA and 0.09% sodium azide as a preservative.

Storage condition: This R-phycoerythrin (R-PE) conjugate is stable when stored at 2-8°C. Do not freeze.

Application Note

The suggested concentration for Briakinumab biosimilar antibody for staining cells in flow cytometry is $<=1.0\ \tilde{A}\Box\hat{A}\mu g$ per 106 cells in a volume of 100 $\tilde{A}\Box\hat{A}\mu$. Titration of the reagent is recommended for optimal performance for each application.