

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

10-2008: Recombinant Anti-TNFa (Adalimumab biosimilar) mAb

Clonality: Monoclonal
Application: ELISA,WB
Gene: TNFA
Gene ID: 7124
Uniprot ID: P01375

Alternative Name: Cachectin, TNF-alpha, TNFA, TNFSF2, Tumor necrosis factor ligand superfamily member 2 (TNF-a)

Isotype: Human IgG1, kappa

Description

SOURCE: Chinese Hamster Ovary Cells (CHO).

Adalimumab belongs to the pharmacotherapeutic group 'immunosuppressants, tumour necrosis factor alpha (TNF- α) inhibitors' (ATC code: L04AB04). The mechanism of action of adalimumab is binding specifically to TNF- α and neutralising its biological function by blocking its interaction with the p55 and p75 cell surface TNF receptors.

Adalimumab is a recombinant human IgG1 monoclonal antibody composed of two kappa light chains each with a molecular weight of approximately 24 kilo Daltons (kDa) and two IgG1 heavy chains each with a molecular weight of approximately 49 kDa based on the amino acid sequence. The total molecular weight of adalimumab with post-translational modifications is approximately 148 kDa. Each light chain consists of 214 amino acid residues and each heavy chain consists of 451 amino acid residues resulting in a total of 1330 amino acids for the entire IgG1 molecule; one glycosylation site (N301) is present. The primary amino-acid sequence of the heavy and light chains is reported.

Product Info

Amount : 100 μg

Purification: Greater than 98.0% as determined by SDS-PAGE.

Content: Adalimumab is supplied as solution in 60mM Trehalose, 0.7mM L-Histidine, 0.8mM L-His-Cl, and

30gm/lit Polysorbate 20.

Storage condition:

Storage condition:

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods

of time. Please avoid freeze thaw cycles.

Application Note



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Figure-1: SDS-Page analysis of Adalimumab. Adalimumab was purified by three step chromatography process followed by buffer exchange and concentration.