# **₩** abeomics

#### 30-2732: Anti-Hu LOX1 Purified

Clonality :	Monoclonal
Clone Name :	15C4
Application :	ICC
Reactivity :	Human
Gene :	OLR1
Gene ID :	4973
Uniprot ID :	P78380
Format :	Purified
Alternative Name :	oxidized low density lipoprotein receptor 1 OLR1, SLOX1, SCARE1, CLEC8A
Immunogen Information : fusion protein of human LOX1 ectodomain and of human IgG Fc	

### Description

LOX1, a 31 kDa type II transmembrane protein, is a C-type lectin, functioning as a scavenger receptor for e.g. oxidized low density lipoprotein, apoptotic heat shock proteins, or CRP. It is expressed by macrophages, fibroblasts, platelets, endothelial cells, and smooth muscle cells, and its defects can lead to atherosclerosis. Its expression is enhanced under inflammatory conditions. Multiple splicing variants have been identified.

Specificity :The mouse monoclonal antibody 15C4 recognizes an extracellular epitope of LOX1, a C-type lectin transmembrane protein.

#### **Product Info**

Amount :	0.1 mg
Purification :	Purified by protein-A affinity chromatography.
Content :	Concentration: 1 mg/ml Storage Buffer: Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
Storage condition :	Store at 2-8°C. Do not freeze.

#### **Application Note**

Flow cytometry: Recommended dilution: 1-5 µg/ml



Figure 1: Flow cytometry surface staining pattern of human dendritic cells in flow cytometry analysis (surface staining) stained using anti-human LOX1 (15C4) purified antibody

## **₩** abeomics

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982 Email: info@abeomics.com



Figure 2: Separation of human dendritic cells (red-filled) from human lymphocytes (black-dashed) in flow cytometry analysis (surface staining) stained using anti-human LOX1 (15C4) purified antibody (GAM APC).