# **w** abeomics

## 30-2748: Anti-Hu CD92 PE

Clonality :	Monoclonal
Clone Name :	VIM15
Application :	FACS
Reactivity :	Human
Conjugate :	PE
Gene :	SLC44A1
Gene ID :	23446
Uniprot ID :	Q8WWI5
Alternative Name :	solute carrier family 44 member 1 CTL1, CHTL1, SLC44A1
Immunogen Information	MV4-11 acute myeloid leukemia cells

### Description

CD92 is a 70 kDa protein with ten transmembrane domains, intracellular N and C teminus, and two glycosylated larger extracellular loops. In the C-terminal domain, there is an ITIM-like sequence. This protein seems to be a choline transporter responsible for delivery of choline into the immune cells, to make it accessible for phospholipid synthesis, as well as a regulator of immune cell signaling. It is expressed mainly on human peripheral blood monocytes and neutrophils, and several myeloid and T-cell lines. It can also be found on mast cells (but not eosinophils), and weakly on peripheral blood lymphocytes, fibroblasts, epithelial cells, and endothelial cells.

Specificity :The mouse monoclonal antibody VIM15 recognizes an extracellular epitope of CD92, a 70 kDa transmembrane glycoprotein expressed mainly on human peripheral blood monocytes and neutrophils, and several myeloid and T-cell lines.

#### **Product Info**

Amount :	100 Tests
Purification :	Purified antibody is conjugated with R-phycoerythrin (PE) under optimum conditions. Unconjugated antibody and free fluorochrome are removed by size-exclusion chromatography.
Content :	Concentration: 0.5 mg/ml Storage Buffer: Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
Storage condition :	Store at 2-8°C. Protect from prolonged exposure to light. Do not freeze.

## **Application Note**

Flow cytometry: The reagent is designed for analysis of human blood cells using 10  $\tilde{A}$   $\hat{A}\mu$  reagent / 100  $\tilde{A}$   $\hat{A}\mu$  of whole blood or 10<sup>6</sup> cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests.