

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

30-2785: Anti-Hu CD369 PE

Clonality: Monoclonal

Clone Name: 15E2
Application: FACS
Reactivity: Human
Conjugate: PE
Gene: CLEC7A
Gene ID: 64581
Uniprot ID: Q9BXN2

Alternative Name: C-type lectin domain containing 7A Dectin-1, CLEC7A, BGR, CANDF4, SCARE2

Immunogen Information: Extracellular part of human CD369 with hIgG FC tag

Description

CD369 (dectin-1, beta-glucan receptor) is a 33 kDa type II transmembrane glycoprotein of lectin family, and serves as a part of innate immunity system by binding to beta-glucan polymers, which are typical for yeast and mycobacterial cell walls. CD369 is expressed predominantly on dendritic cells, but it can be detected also on monocytes, macrophages, mast cells, eosinophils, B cells, endothelial cells, and sometimes also on some T cell subsets.

Specificity: The mouse monoclonal antibody 15E2 recognizes an extracellular epitope LWEDGSTFSSN of human CD369 (Dectin-1), a 33 kDa transmembrane glycoprotein expressed predominantly on dendritic cells.

Product Info

Amount: 100 Tests

Purification : Purified antibody is conjugated with R-phycoerythrin (PE) under optimum conditions.

Unconjugated antibody and free fluorochrome are removed by size-exclusion chromatography.

Concentration: 1 mg/ml

Content: Storage Buffer: Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide

Storage condition: Store at 2-8°C. Protect from prolonged exposure to light. Do not freeze.

Application Note

Flow cytometry: The reagent is designed for analysis of human blood cells using 10 $\tilde{A} \square \hat{A} \mu l$ reagent / 100 $\tilde{A} \square \hat{A} \mu l$ of whole blood or 10⁶ cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests.